


## Ring Lug Terminal Blocks ST5, ST5-16mm<sup>2</sup>, ST6 and ST25



Weidmüller's comprehensive range of bolt-type screw terminals offers secure connections for all power transmission applications. Bolt-type screw terminals with threads from M3.5 to M5 can be used depending on the conductor cross-section.

- Touch-safe (Premium line)
- Self-locking nut
- Combi-foot for use with TS 35 and TS 32
- CSA / UL approved
- Standard screw or test sleeve
- High Voltage Capacity

### **Weidmüller, Canada**

10 Spy Court  
Markham, Ontario L3R 5H6  
Telephone: (800) 268-4080  
Facsimile: (877) 300-5635  
Email: [info1@weidmuller.ca](mailto:info1@weidmuller.ca)  
Website: [www.weidmuller.ca](http://www.weidmuller.ca)

### **Weidmüller, Mexico**



Bldv. Hermanos Serdán 698  
Col. San Rafael Oriente  
Puebla, Puebla, Mexico  
C.P. 72029  
Telephone: 01 222 2686267  
Facsimile: 01 222 2686219  
Email: [clientes@weidmuller.com.mx](mailto:clientes@weidmuller.com.mx)  
Website: [www.weidmuller.com.mx](http://www.weidmuller.com.mx)

### **Weidmüller, United States**

821 Southlake Blvd.  
Richmond, Virginia 23236  
Telephone: (800) 849-9343  
Facsimile: (804) 379-2593  
Email: [info@weidmuller.com](mailto:info@weidmuller.com)  
Website: [www.weidmuller.com](http://www.weidmuller.com)

# Ring Lug Terminal Blocks

# Premium Line ("New" Touch-Safe)



**Self-locking Nut**

**Self-locking Nut**


|                                      |                            |             |                            |            |
|--------------------------------------|----------------------------|-------------|----------------------------|------------|
| Width (mm / Inch)                    | 10.2 / 0.402               |             | 13.2 / 0.519               |            |
| Insulating material (UL94)           | PA (V0)                    |             | PA (V0)                    |            |
| <b>Rated data</b>                    | <b>IEC/DIN-VDE</b>         |             | <b>IEC/DIN-VDE</b>         |            |
| Voltage                              | 800 V                      | 600 V       | 800 V                      | 600 V      |
| Current                              | 35 A                       | 35 A        | 46 A                       | 46 A       |
| Cross-section                        | 4 mm <sup>2</sup>          | 22 - 10 AWG | 6 mm <sup>2</sup>          | 22 - 8 AWG |
| Impulse voltage                      | 8 KV                       |             | 8 KV                       |            |
| Pollution severity                   | 3                          |             | 3                          |            |
| Torque range                         | 1.0 Nm                     |             | 1.2 Nm                     |            |
| Torque range - connections           | 0.5 - 0.8 Nm               |             | 0.5 - 0.8 Nm               |            |
| (See Lug Dimensions Chart P7) Thread | M3.5                       |             | M4                         |            |
| <b>Ordering Data</b>                 | <b>Part No.</b>            |             | <b>Part No.</b>            |            |
| (Beige)                              | <b>C905234600</b> (screw)  |             | <b>C905221600</b> (screw)  |            |
| (Beige)                              | <b>C905381600</b> (sleeve) |             | <b>C905382600</b> (sleeve) |            |
| Disconnect* (Beige)                  |                            |             |                            |            |
| Disconnect* (Beige)                  |                            |             |                            |            |

## Accessories

| End plate                           | Width (mm/Inch)        | Part No.          | Width (mm/Inch)        | Part No.          |
|-------------------------------------|------------------------|-------------------|------------------------|-------------------|
| (Beige) AP PA                       | 1.5/059                | <b>C905235600</b> | 1.5/059                | <b>C905222600</b> |
| <b>Adapter sleeve - Pin</b>         |                        | <b>Part No.</b>   |                        | <b>Part No.</b>   |
| STB 21.6 (Beige)                    |                        | <b>1071000000</b> |                        | <b>1071000000</b> |
| Pin PS4                             |                        | <b>0299600000</b> |                        | <b>0299600000</b> |
| <b>Partition plate</b>              | <b>Width (mm/Inch)</b> | <b>Part No.</b>   | <b>Width (mm/Inch)</b> | <b>Part No.</b>   |
| (BG) TW PA                          |                        |                   |                        |                   |
| (BG) TW HP                          |                        |                   |                        |                   |
| (BG) TW PA                          |                        |                   |                        |                   |
| TW HP - TS 32                       |                        |                   |                        |                   |
| <b>Cross-connection</b>             |                        | <b>Part No.</b>   |                        | <b>Part No.</b>   |
| Kit                                 |                        |                   |                        |                   |
| VH                                  |                        |                   |                        |                   |
| Q2                                  |                        | <b>C905236600</b> |                        | <b>C905223600</b> |
| Q3                                  |                        | <b>C905237600</b> |                        | <b>C905224600</b> |
| Q4                                  |                        | <b>C905238600</b> |                        | <b>C905225600</b> |
| Q5                                  |                        |                   |                        |                   |
| Q7                                  |                        |                   |                        |                   |
| Q10                                 |                        | <b>C905239600</b> |                        | <b>C905226600</b> |
| Q50                                 |                        |                   |                        |                   |
| QL2                                 |                        |                   |                        |                   |
| QL3                                 |                        |                   |                        |                   |
| QL4                                 |                        |                   |                        |                   |
| QL5                                 |                        |                   |                        |                   |
| QL7                                 |                        |                   |                        |                   |
| QL10                                |                        |                   |                        |                   |
| QL50                                |                        |                   |                        |                   |
| Sleeve VH 13.5                      |                        |                   |                        |                   |
| Kit (1 Screw + 1 Washer)            |                        |                   |                        |                   |
| <b>Connection for short-circuit</b> |                        | <b>Part No.</b>   |                        | <b>Part No.</b>   |
| ZQV 10/2                            |                        |                   |                        |                   |
| <b>End brackets</b>                 | <b>Width (mm/Inch)</b> | <b>Part No.</b>   | <b>Width (mm/Inch)</b> | <b>Part No.</b>   |
| EW35 - TS 35                        | 8.5/334                | <b>0383560000</b> | 8.5/334                | <b>0383560000</b> |
| WEW35/2 - TS 35                     | 8.0/315                |                   | 8.0/315                |                   |
| EWK1 - TS 32                        | 8.5/334                | <b>0206160000</b> | 8.5/334                | <b>0206160000</b> |
| EWK2 - TS 32                        | 15.0/59                |                   | 15.0/59                |                   |
| WEW35 - TS 35                       | 12.2/48                |                   | 12.2/48                |                   |
| <b>Rails</b>                        |                        | <b>Part No.</b>   |                        | <b>Part No.</b>   |
| TS 35 steel                         |                        | <b>0383400000</b> |                        | <b>0383400000</b> |
| TS 35 steel slotted                 |                        | <b>0514500000</b> |                        | <b>0514500000</b> |
| TS 32 steel                         |                        | <b>0122800000</b> |                        | <b>0122800000</b> |

\*Quick connection, incorporated test-point, circuit disconnecting

**ST6 / EN**  
Feed through




**Self-locking Nut**

11.2 / 0.441

PA (V0)

**ST6 T / EN**  
Test disconnect




**Self-locking Nut**

11.2 / 0.441

PA (V0)

**ST25 / EN**  
Feed through



**Self-locking Nut**

18.2 / 0.716

PA (V0)

| IEC/DIN-VDE         |             | IEC/DIN-VDE         |             | IEC/DIN-VDE              |                          |
|---------------------|-------------|---------------------|-------------|--------------------------|--------------------------|
| 800 V               | 600 V       | 800 V               | 600 V       | 1000 V                   | 1000 V                   |
| 41 A                | 40 A        | 41 A                | 40 A        | 101 A                    | 100 A                    |
| 6 mm <sup>2</sup>   | 26 - 10 AWG | 6 mm <sup>2</sup>   | 26 - 10 AWG | 25 mm <sup>2</sup>       | 20 - 3 AWG               |
| 8 KV                |             | 8 KV                |             | 8 KV                     |                          |
| 3                   |             | 3                   |             | 3                        |                          |
| 1.5 - 1.8 Nm        |             | 1.5 - 1.8 Nm        |             | 2.5 (M5) / 3.2 (M6)      |                          |
| 0.5 - 0.8 Nm        |             | 0.5 - 0.8 Nm        |             | 1.2 - 1.9 Nm             |                          |
| M4                  |             | M4                  |             | M5 & M6                  |                          |
| <b>Part No.</b>     |             | <b>Part No.</b>     |             | <b>Part No.</b>          | <b>Part No.</b>          |
| C904908601 (screw)  |             |                     |             | C905265600 (M5) (screw)  | C905264600 (M6) (screw)  |
| C904908600 (sleeve) |             |                     |             | C905379600 (M5) (sleeve) | C905380600 (M6) (sleeve) |
|                     |             | C904909601 (screw)  |             |                          |                          |
|                     |             | C904909600 (sleeve) |             |                          |                          |


| Width (mm/Inch) | Part No.        | Width (mm/Inch) | Part No.        | Width (mm/Inch) | Part No.        |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1.0/039         | C904910600      | 1.0/039         | C905222600      | 1.5/059         | C905266600      |
|                 | <b>Part No.</b> |                 | <b>Part No.</b> |                 | <b>Part No.</b> |
|                 | 0299600000      |                 | 0299600000      |                 | 0299600000      |
| Width (mm/Inch) | Part No.        | Width (mm/Inch) | Part No.        | Width (mm/Inch) | Part No.        |
|                 | <b>Part No.</b> |                 | <b>Part No.</b> |                 | <b>Part No.</b> |
|                 | C905064600      |                 | C905064600      |                 | C012361000      |
|                 | C905065600      |                 | C905065600      |                 | C012371000      |
|                 | C905066600      |                 | C905066600      |                 | C012381000      |
|                 | C905067600      |                 | C905067600      |                 | C033861000      |
|                 | C904925600      |                 | C904925600      |                 |                 |
|                 | C904926600      |                 | C904926600      |                 |                 |
|                 | C904927600      |                 | C904927600      |                 |                 |
|                 | C904929600      |                 | C904929600      |                 |                 |
|                 | C904288000      |                 | C904288000      |                 |                 |
|                 | C904940600      |                 | C904940600      |                 |                 |
|                 | <b>Part No.</b> |                 | <b>Part No.</b> |                 | <b>Part No.</b> |
|                 | 1739680000      |                 | 1739680000      |                 |                 |
| Width (mm/Inch) | Part No.        | Width (mm/Inch) | Part No.        | Width (mm/Inch) | Part No.        |
| 8.5/334         |                 | 8.5/334         |                 | 8.5/334         |                 |
| 8.0/315         | 1061200000      | 8.0/315         | 1061200000      | 8.0/315         |                 |
| 8.5/334         |                 | 8.5/334         |                 | 8.5/334         |                 |
| 15.0/59         | 0199360000      | 15.0/59         | 0199360000      | 15.0/59         | 0199360000      |
| 12.2/48         |                 | 12.2/48         |                 | 12.2/48         | 1059000000      |
|                 | <b>Part No.</b> |                 | <b>Part No.</b> |                 | <b>Part No.</b> |
|                 | 0383400000      |                 | 0383400000      |                 | 0383400000      |
|                 | 0514500000      |                 | 0514500000      |                 | 0514500000      |
|                 | 0122800000      |                 | 0122800000      |                 | 0122800000      |

# Ring Lug Terminal Blocks

## Accessories

### Lug Dimensions Chart (Terminals DIN 46237)


| Terminal Type         | Ø    | A (Max) mm/Inch |
|-----------------------|------|-----------------|
| ST5 N / EN            | M3.5 | 8.0/.315        |
| ST5PN / EN            | M4   | 10.0/.394       |
| ST6 / EN              | M4   | 8.0/.315        |
| ST6 T / EN            | M4   | 8.0/.315        |
| ST25 V1 / EN          | M5   | 15.0/.590       |
| ST25 V1 / EN          | M6   | 15.0/.590       |
| ST25 V2 / EN          | M5   | 15.0/.590       |
| ST25 V2 / EN          | M6   | 15.0/.590       |
| ST5 16mm <sup>2</sup> | M5   | 12.0/.473       |
| ST5 / EN              | M3.5 | 8.0/.315        |
| ST5P / EN             | M4   | 10.0/.394       |
| ST5P1 V1 / EN         | M4   | 10.0/.394       |
| ST5P1 V2 / EN         | M4   | 10.0/.394       |
| ST5P1 V4 / EN         | M4   | 10.0/.394       |
| ST5P1 V5 / EN         | M5   | 12.0/.473       |



### Dekafix Preprinted Markers for Terminals

| Length x Pitch | Vertical Print | Horizontal Print |
|----------------|----------------|------------------|
|                | 5 x 5mm        | 5 x 5mm          |
| Model          | DEK 5/5        | DEK 5/5          |
| 1-50           | 0473560001     | 0473460001       |
| 51-100         | 0473560051     | 0473460051       |
| 101-150        | 0473560101     | 0473460101       |
| 151-200        | 0473560151     | 0473460151       |
| 201-250        | 0473560201     | 0473460201       |
| 251-300        | 0473560251     | 0473460251       |
| 301-350        | 0473560301     | 0473460301       |
| 351-400        | 0473560351     | 0473460351       |
| 401-450        | 0473560401     | 0473460401       |
| 451-500        | 0473560451     | 0473460451       |

Preprinted Description




Additional number sequences, letters and symbols are available.

### Dekafix Multi-Card Markers (Blank & Custom Print)

| Model      | Type         | Part Number |
|------------|--------------|-------------|
| DEK 5/5 MC | Blank        | 1609801044  |
| DEK 5/5 MC | Custom Print | 1854500000  |

### Support and Hoods


| Terminal Block                        | ADP                    | HP               |
|---------------------------------------|------------------------|------------------|
| ST5<br>ST5P<br>ST5P1 / ST5 N / ST5 PN | ADP - 0485300000 (1m)  | HP2 - 0485660000 |
| ST5 - 16mm <sup>2</sup>               | ADP - 0447700000 (1m)  | ---              |
| ST25                                  | ADP - 04854000000 (1m) | HP3 - 0485760000 |
| ST6<br>ST6T                           | ADP3 - 0485400000 (1m) | HP4 - 0485860000 |



### Screwdrivers

For Screw, Sleeve or Self-locking versions only.

| Terminal Type           | Description    | a (mm/Inch) | b (mm/Inch) | c (mm/Inch) | Part Number |
|-------------------------|----------------|-------------|-------------|-------------|-------------|
| ST5 N / EN              | SD 1.0x5.5x150 | 1.0/.039    | 5.5/.216    | 150/5.91    | 9008350000  |
| ST5PN / EN              | SD 1.0x5.5x150 | 1.0/.039    | 5.5/.216    | 150/5.91    | 9008350000  |
| ST6 / EN                | SD 1.0x5.5x150 | 1.0/.039    | 5.5/.216    | 150/5.91    | 9008350000  |
| ST6 T / EN (Terminal)   | SD 1.0x5.5x150 | 1.0/.039    | 5.5/.216    | 150/5.91    | 9008350000  |
| ST6 T / EN (Disconnect) | SD 0.5x3.0x8.0 | 0.5/.019    | 3.0/.118    | 8.0/.314    | 9008320000  |
| ST25 V1 / EN            | SD 1.2x6.5x150 | 1.2/.047    | 6.5/.255    | 150/5.91    | 9009010000  |
| ST25 V2 / EN            | SD 1.2x6.5x150 | 1.2/.047    | 6.5/.255    | 150/5.91    | 9009010000  |
| ST5 / EN                | SDK PH1        |             |             | 80/3.14     | 9008480000  |
| ST5P / EN               | SDK PH1        |             |             | 80/3.14     | 9008480000  |
| ST5P1 V2 / EN           | SDK PH1        |             |             | 80/3.14     | 9008480000  |
| ST5P1 V4 / EN           | SDK PH1        |             |             | 80/3.14     | 9008480000  |
| ST5P1 V5 / EN           | SDK PH2        |             |             | 100/3.93    | 9008490000  |




TRIM

# Ring Lug Terminal Blocks


# Standard Line



**ST5 / EN**  
Feed through



**ST5P / EN**  
Feed through




|  |  | Screw             |             | Screw             |             |
|--|--|-------------------|-------------|-------------------|-------------|
| Width (mm / Inch)  |  | 9.7 / 0.382       |             | 9.7 / 0.382       |             |
| Insulating material (UL94)   |  | PA (V2)           |             | PA (V2)           |             |
| Rated data   |  | IEC/DIN-VDE       | UL /UL      | IEC/DIN-VDE       | UL /UL      |
| Voltage  |  | 800 V             | 600 V       | 800 V             | 600 V       |
| Current  |  | 35 A              | 35 A        | 35 A              | 45 A        |
| Cross-section  |  | 4 mm <sup>2</sup> | 20 - 10 AWG | 4 mm <sup>2</sup> | 22 - 10 AWG |
| Impulse voltage  |  | 6 KV              |             | 6 KV              |             |
| Pollution severity   |  | 3                 |             | 3                 |             |
| Torque range   |  | 0.8 - 1.6 Nm      |             | 0.8 - 1.6 Nm      |             |
| Torque range - connections<br>(See Lug Dimensions Chart P7) Thread |  | M3.5              |             | M3.5              |             |
| Ordering Data  |  | Part No.          |             | Part No.          |             |
|  |  | <b>C9000676</b>   |             | <b>C9001456</b>   |             |
| (Beige)  |  |                   |             |                   |             |
| (Beige)  |  |                   |             |                   |             |
| Disconnect (Beige)   |  |                   |             |                   |             |
| Disconnect (Beige)   |  |                   |             |                   |             |

## Accessories


| End plate                    |                             | Width (mm/Inch)   | Part No.          | Width (mm/Inch)   | Part No.          |
|------------------------------|-----------------------------|-------------------|-------------------|-------------------|-------------------|
|                              | (Beige) AP PA               | 1.5/059           | <b>C9000686</b>   | 1.5/059           | <b>C9000686</b>   |
| Adapter sleeve - Pin         |                             | Part No.          |                   | Part No.          |                   |
|                              | STB 21.6 (Beige)<br>Pin PS4 |                   |                   |                   |                   |
| Partition plate              |                             | Width (mm/Inch)   | Part No.          | Width (mm/Inch)   | Part No.          |
|                              | (BG) TW PA                  | 1.5/059           | <b>C904318600</b> | 1.5/059           | <b>C904318600</b> |
|                              | (BG) TW HP                  | 0.5/019           | <b>0474700000</b> | 0.5/019           | <b>0474700000</b> |
|                              | (BG) TW PA                  |                   |                   |                   |                   |
|                              | TW HP - TS 32               |                   |                   |                   |                   |
| Cross-connection             |                             | Part No.          |                   | Part No.          |                   |
|                              | Kit VH Q2 Q3                |                   |                   |                   |                   |
|                              | QL2                         |                   |                   |                   |                   |
|                              | QL3                         |                   |                   |                   |                   |
|                              | QL4                         |                   |                   |                   |                   |
|                              | Q4                          |                   |                   |                   |                   |
|                              | Q2                          |                   |                   |                   |                   |
|                              | Q3                          |                   |                   |                   |                   |
|                              | Q4                          |                   |                   |                   |                   |
|                              | QL2                         | <b>C9001370</b>   |                   | <b>C9001370</b>   |                   |
|                              | QL3                         | <b>C9001380</b>   |                   | <b>C9001380</b>   |                   |
|                              | QL4                         | <b>C9001390</b>   |                   | <b>C9001390</b>   |                   |
|                              | QL5                         |                   |                   |                   |                   |
|                              | QL7                         |                   |                   |                   |                   |
|                              | QL10                        | <b>C9000750</b>   |                   | <b>C9000750</b>   |                   |
|                              | QL50                        |                   |                   |                   |                   |
|                              | Sleeve VH 13.5              |                   |                   |                   |                   |
|                              | Kit (1 Screw + 1 Washer)    |                   |                   |                   |                   |
| Connection for short-circuit |                             | Part No.          |                   | Part No.          |                   |
|                              | ZQV 10/2                    |                   |                   |                   |                   |
| End brackets                 |                             | Width (mm/Inch)   | Part No.          | Width (mm/Inch)   | Part No.          |
|                              | EW35 - TS 35                | 8.5/334           | <b>0383560000</b> | 8.5/334           | <b>0383560000</b> |
|                              | WEW35/2 - TS 35             | 8.0/315           |                   | 8.0/315           |                   |
|                              | EWK1 - TS 32                | 8.5/334           | <b>0206160000</b> | 8.5/334           | <b>0206160000</b> |
|                              | EWK2 - TS 32                | 15.0/59           |                   | 15.0/59           |                   |
|                              | WEW35 - TS 35               | 12.2/48           |                   | 12.2/48           |                   |
| Rails                        |                             | Part No.          |                   | Part No.          |                   |
|                              | TS 35 steel                 | <b>0383400000</b> |                   | <b>0383400000</b> |                   |
|                              | TS 35 steel slotted         | <b>0514500000</b> |                   | <b>0514500000</b> |                   |
|                              | TS 32 steel                 | <b>0122800000</b> |                   | <b>0122800000</b> |                   |

TRIM


**ST5P1 V2 / EN**  
Feed through




**ST5P1 V1 / EN**  
Feed through




**ST5P1 V4 and 5 / EN**  
Feed through



**ST5S-16mm<sup>2</sup>**  
Feed through



**STL5-16mm<sup>2</sup>**  
Test disconnect



| Screw             |            | Nut               |            | Self-locking Nut                   |            | Nut                |             | Nut                |             |
|-------------------|------------|-------------------|------------|------------------------------------|------------|--------------------|-------------|--------------------|-------------|
| 13.2 / 0.519      |            | 13.2 / 0.519      |            | 13.2 / 0.519                       |            | 16.5 / 0.642       |             | 16.5 / 0.642       |             |
| PA (V2)           |            | PA (V2)           |            | PA (V2)                            |            | PA (V0)            |             | PA (V0)            |             |
| IEC/DIN-VDE       | UL         | IEC/DIN-VDE       | UL         | IEC/DIN-VDE                        | UL         | IEC/DIN-VDE        | UL          | IEC/DIN-VDE        | UL          |
| 500 V             | 300 V      | 500 V             | 300 V      | 500 V                              | 300 V      | 800 V              | 600 V       | 800 V              | 600 V       |
| 46 A              | 46 A       | 46 A              | 46 A       | 46 A                               | 46 A       | 76 A               | 65 A        | 76 A               | 65 A        |
| 6 mm <sup>2</sup> | 24 - 6 AWG | 6 mm <sup>2</sup> | 24 - 6 AWG | 6 mm <sup>2</sup>                  | 24 - 6 AWG | 16 mm <sup>2</sup> | AWG 12...10 | 16 mm <sup>2</sup> | AWG 12...10 |
| 6 KV              |            | 6 KV              |            | 6 KV                               |            | 8 KV               |             | 8 KV               |             |
| 3                 |            | 3                 |            | 3                                  |            | 3                  |             | 3                  |             |
| 1.2 - 1.9 Nm      |            | 1.2 - 2.4 Nm      |            | 1.2 - 2.4 Nm                       |            | 2.0 - 4.0 Nm       |             | 2.0 - 4.0 Nm       |             |
| 0.8 - 1.6 Nm      |            | 0.8 - 1.6 Nm      |            | 0.8 - 1.6 Nm                       |            | 0.8 - 1.6 Nm       |             | 0.8 - 1.6 Nm       |             |
| M4                |            | M4                |            | M4 & M5                            |            | M5                 |             | M5                 |             |
| Part No.          |            | Part No.          |            | Part No.                           |            | Part No.           |             | Part No.           |             |
| C904916600        |            | C904904600        |            | C904922600 (M4)<br>C904915600 (M5) |            | 0448360000         |             | 0448460000         |             |

| Width (mm/Inch) | Part No. | Width (mm/Inch) | Part No. | Width (mm/Inch) | Part No. | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   |
|-----------------|----------|-----------------|----------|-----------------|----------|-----------------|------------|-----------------|------------|
| 1.5/.059        | C9001506 | 1.5/.059        | C9001506 | 1.5/.059        | C9001506 | 1.5/.059        | 0447260000 | 1.5/.059        | 0447260000 |
| Part No.        |          | Part No.        |          | Part No.        |          | Part No.        |            | Part No.        |            |

| Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   |
|-----------------|------------|-----------------|------------|-----------------|------------|-----------------|------------|-----------------|------------|
| 1.5/.059        | C904319600 | 1.5/.059        | C904319600 | 1.5/.059        | C904319600 | 1.5/.059        | 0477660000 | 1.5/.059        | 0477660000 |
| 0.5/.019        | 0474700000 | 0.5/.019        | 0474700000 | 0.5/.019        | 0474700000 |                 |            |                 |            |

| Part No.   | Part No.   | Part No.   | Part No.   | Part No.   |
|------------|------------|------------|------------|------------|
| C904913600 | C904913600 | C904913600 | 3834300000 | 3834300000 |
| C904914600 | C904914600 | C904914600 |            |            |
| C904917600 | C904917600 | C904917600 |            |            |
| C904918600 | C904918600 | C904918600 |            |            |
|            | C904919600 |            |            |            |
| C904919600 |            | C904919600 |            |            |
| Part No.   | Part No.   | Part No.   | Part No.   | Part No.   |

| Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   | Width (mm/Inch) | Part No.   |
|-----------------|------------|-----------------|------------|-----------------|------------|-----------------|------------|-----------------|------------|
| 8.5/.334        | 0383560000 | 8.5/.334        | 0383560000 | 8.5/.334        | 0383560000 | 8.5/.334        | 0383560000 | 8.5/.334        | 0383560000 |
| 8.0/.315        |            | 8.0/.315        |            | 8.0/.315        | 1061200000 | 8.0/.315        | 1061200000 | 8.0/.315        | 1061200000 |
| 8.5/.334        | 0206160000 | 8.5/.334        | 0206160000 | 8.5/.334        | 0206160000 | 8.5/.334        | 0206160000 | 8.5/.334        | 0206160000 |
| 15.0/.59        |            | 15.0/.59        |            | 15.0/.59        |            | 15.0/.59        |            | 15.0/.59        |            |
| 12.2/.48        |            | 12.2/.48        |            | 12.2/.48        |            | 12.2/.48        |            | 12.2/.48        |            |
| Part No.        | Part No.   | Part No.        | Part No.   | Part No.        | Part No.   | Part No.        | Part No.   | Part No.        | Part No.   |
| 0383400000      | 0383400000 | 0383400000      | 0383400000 | 0383400000      | 0383400000 | 0383400000      | 0383400000 | 0383400000      | 0383400000 |
| 0514500000      | 0514500000 | 0514500000      | 0514500000 | 0514500000      | 0514500000 | 0514500000      | 0514500000 | 0514500000      | 0514500000 |
| 0122800000      | 0122800000 | 0122800000      | 0122800000 | 0122800000      | 0122800000 | 0122800000      | 0122800000 | 0122800000      | 0122800000 |